



Downdraft Table

An industry leader in wood, metal, and many other dust control applications, these tables are specially suited to control dust during sanding, routing, cutting, and finishing of wood, fiberglass and plastics as well as welding, grinding, polishing, and cutting of metal products. They help clean the ambient air for an all around cleaner, safer, and healthier work environment.

Call today to discuss your application!

Standard Features:

- Totally enclosed fan cooled (TEFC) motor
- Capacity: 2800 ICFM
- One year warranty on parts and labor (except filters)
- Sound level: 70 dB (A)
- Castors
- Filtration: 99% efficiency @ 1 micron
- Work surface area: 28" x 48" / 12 sq. ft.
- Motor: 1½ HP
- Voltage: 115 volt
- Dimensions: 28" W x 48" L x 34½" H
- Weight: 310 lbs
- Grate covered with very durable sprayed-on urethane
- All metal construction
- Magnetic starter for 3 phase

Options:

- Hydraulic motors to run fans
- Table height can be altered
- Exhaust muffler
- Exhaust chimney
- Non-motorized unit for central systems
- HEPA filtration
- Water pan
- Magnehelic gauges
- HEPA filter banks
- 3-Sided 20" spark shields
- Fiberglass grate
- Rubber mat

AIR DYNAMICS INDUSTRIAL SYSTEMS CORPORATION

300 North Queen Street, York, PA 17403 USA

Email: sales@airdynamics.net

TEL: 717-854-4050

FAX: 717-854-4020

• Pollution Control Systems • Industrial Vacuum Systems • Oil Mist Collection Systems

Check out our full feature website at www.airdynamics.net